


NDIA Rockets & Missiles Symposium San Antonio, TX 15 May 2001



Report Documentation Page				
Report Date 14052001	Report Type N/A	Dates Covered (from to)		
Title and Subtitle Improved Insensitive Munitions Performance of an HE Rocket Warhead		Contract Number		
		Grant Number		
		Program Element Number		
Author(s) Johnson, Joni; Kim, Steve; Nolder, Matt		Project Number		
		Task Number		
		Work Unit Number		
Performing Organization Naval Surface Warfare Cer	Name(s) and Address(es) nter, Indian Head Division	Performing Organization Report Number		
Sponsoring/Monitoring A Address(es)	Agency Name(s) and	Sponsor/Monitor's Acronym(s)		
NDIA (National Defense I Wilson Blvd., Ste. 400 Arl		Sponsor/Monitor's Report Number(s)		
Distribution/Availability Statement Approved for public release, distribution unlimited				
Supplementary Notes Proceedings from Armaments for the 2nd Annual Missiles & Rockets Symposium & Exhibition, 14-16 May 2001 sponsored by NDIA., The original document contains color images.				
Abstract				
Subject Terms				
Report Classification unclassified		Classification of this page unclassified		
Classification of Abstract unclassified		Limitation of Abstract UU		
Number of Pages 12				



Problem:

Current HE warheads pose a serious safety risk onboard ship when exposed to IM threats

Objective:

Improve the Insensitive Munitions (IM) performance of a COMP B loaded 2.75-Inch High Explosive warhead.



2.75-INCH ROCKET SYSTEM DESCRIPTION







CURRENT M229 WARHEAD

- Contains 4.8 lbs COMP B4 explosive
- Cast iron nose and steel base identical to M151
 HE warhead, separated by a 10" cast iron cylindrical body (brazed)
- Uses M423 or M427 point detonating fuze with RDX lead-in and booster charge





CURRENT COMP B PERFORMANCE (IN M151 WARHEAD)

FAST COOK-OFF

SLOW COOK-OFF

BULLET IMPACT

FRAGMENT IMPACT

SYMP. DETONATION

COMP B FILL

PARTIAL DET.

DETONATION

DEFLAGRATION

DETONATION

DETONATION




PROPOSED DESIGN

- •PBXN-110 or PBXN-107 explosive main fill
- •PBXN-5 lead-in charge
- •PBXN-7 booster charge
- Venting on both ends










IMPROVED M229 HE WARHEAD THEORETICAL FCO REACTION

WARHEAD BASE ATTACHED TO PLASTIC THREADED INSERT





COMP B EILL

IM TEST RESULTS

FAST COOK-OFF

SLOW COOK-OFF

BULLET IMPACT

FRAGMENT IMPACT

SYMP. DETONATION

COMP B FILL	PBAN-110 FILL	PBAN-107 FILL
PARTIAL DET.	BURN	EXPLOSION
DETONATION	BURN	DEFLAGRATION
DEFLAGRATION	BURN	BURN
DETONATION	DETONATION	DETONATION
DETONATION	NOT TESTED	NOT TESTED

DDVN 440 EILL

DRYN 107 EILL



- Slow Cook-Off Results
- PBXN-110 loaded warhead








IMPROVED M229 HE WARHEAD DESIGN EVALUATION TESTING

- Nose-initiated, fragment pattern shifted towards tail
- Both PBXN-110 & PBXN-107 filled warheads resulted in a smaller fragment average at higher velocities than COMP B
- Determining Probability of Kill values





Conclusion:

- · IM improvements were successful
- PBXN-110 performed better than PBXN-107 in IM tests
- Design demonstrated sufficient IM improvement to warrant continuation of program